



1926 Construction Fall protection table

		Guardrail systems	Safety net systems	Personal fall arrest systems	Covers	Positioning device	Fences	Barricades	Equipment guards	Controlled access zone	Warning line system/guardrail	Warning line safety net system	Warning line system personal fall arrest	Warning line system safety monitor	Safety monitor	Fall protection plan
(b)(1)	Unprotected sides and edges	X	X	X												
(b)(2)	Leading edges	X	X	X												X*
(b)(3)	Hoist areas	X		X												
(b)(4)	Holes (including skylights)	X		X	X											
(b)(5)	Formwork/reinforcing steel		X	X		X										
(b)(6)	Ramps, runways, other walkways	X														
(b)(7)	Excavations	X				X	X									
(b)(7)(ii)	Excavations (wells, pits, shafts)	X		X		X	X									
(b)(8)	Dangerous equipment (under 6 feet)	X						X								
(b)(8)(ii)	Dangerous equipment (above 6 feet)	X	X	X					X							
(b)(9)	Overhand bricklaying	X	X	X						X						
(b)(9)(ii)	Overhand bricklaying (reaching 10 inches below)	X	X	X												
(b)(10)	Roofing work (low slopes)	X	X	X							X	X	X	X	X**	
(b)(11)	Steep roofs	X	X	X												
(b)(12)	Precast concrete erection	X	X	X												X*
(b)(13)	Residential construction	X	X	X												X*
(b)(14)	Wall openings	X	X	X												
(b)(15)	Other walking/working surfaces	X	X	X												

* Must show infeasibility or greater hazard

** Roof width less than 50 feet

Risk Control at United Fire Group | riskcontrol@unitedfiregroup.com | 800-828-2705

The information contained in this service bulletin was obtained from reliable sources. However, United Fire Group accepts no legal responsibility for the correctness or completeness of this information.

LC 7138 0518

UNITED FIRE GROUP, INC. | 118 Second Avenue SE, Cedar Rapids, Iowa 52401 | www.ufginsurance.com | 800-332-7977

©UFG 2017. All rights reserved.

